



Application Tooling > Insertion & Extraction Tools



Insertion & Extraction Tool Type: **Contact Extraction**
Insertion & Extraction Tool Application: **Contact-to-Housing**

Features

Product Type Features

Insertion & Extraction Tool Type	Contact Extraction
Insertion & Extraction Tool Application	Contact-to-Housing

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-AM71-T98 Pin and Socket Contacts, Type II	 TE Part # CAT-AM71-T98D Pin and Socket Contacts, Type III, LP EMEA	 TE Part # CAT-AM71-T98E Pin and Socket Contacts, Type III, LP	 TE Part # CAT-AM71-T98A Strip Pin and Socket Contacts, Type III, LP
 TE Part # CAT-AM71-T98G Pin and Socket Contacts, Type III, LP, High Current	 TE Part # CAT-AM71-T98B Strip Pin and Socket Contacts, Type III	 TE Part # CAT-AM71-T98F Strip Pin and Socket Contacts, Type III, High Current	 TE Part # CAT-AM71-T98C Strip Pin and Socket Contacts, Type III, EMEA
 TE Part # 66361-1 III+ PIN,18-14,30AU>10,LP	 TE Part # 193846-1 SKT ASSY.	 TE Part # 66099-1 III+ PIN,18-16,30AU>10,LP	 TE Part # 1-66105-8 III+ SKT,24-20,30AU/FL,SMPACK
 TE Part # 66105-2 III+ SKT,24-20,TIN-LEAD,LP	 TE Part # 66103-2 III+ PIN,24-20,TIN-LEAD,LP	 TE Part # 66103-1 III+ PIN,24-20,30AU>10,LP	 TE Part # 66358-6 III+ SKT,18-14,TIN-LEAD,STRIP



TE Part # 66101-2
III+ SKT,18-16,TIN-LEAD,LP

TE Part # 1-66361-1
III+ PIN,18-14,30AU/FL,SMPACK

TE Part # 66601-1
III+ SKT,18-14,TIN-LEAD,LP

TE Part # 66100-2
III+ SKT,18-16,TIN-LEAD,STRIP

Also in the Series | AMP Type II

Connector Contacts(35)

Insertion & Extraction Tools(4)

Also in the Series | AMP Type III+

Connector Contacts(409)

Insertion & Extraction Tools(4)

Customers Also Bought

TE Part #206151-1
23-37 RECEPT STD SEX

TE Part #206150-1
CPC PLUG ASSEMBLY SIZE 23-37

TE Part #66101-4
Pin and Socket Contacts, Type III, LP

TE Part #3-644861-4
14P MTA100 SHRD HDR,W/O PEG SN





TE Part #2063388-1
TOOL, EXTRACTION



TE Part #200893-2
INSERTION TOOL CONT

TE Part #1-1901696-5
STRIP GUIDE, REAR

TE Part #1752371-1
PLATE, STRIP GUIDE

TE Part #231579-011
EAKT-1608

Documents

Product Drawings

EXTRACT TOOL TYPE 2 20-16

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

CSA Certificate

English